





Personal Protective Equipment		DOT Pictograms	
		Not Regulated	
Protective Gloves	Chemical Splash Goggles		

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

Product Name: EnergyComplete™ Spray Foam with Flexible Seal Technology-Part B

MSDS Manufacturer Number: 10010118-NAM

Product Use/Restriction: Part B of air sealant package

Manufacturer Name: Owens Corning Insulating Systems, LLC

Address: One Owens Corning Parkway
Toledo, OH 43659

Customer Service Phone Number: 1-800-GET-PINK or 1-800-438-7465

Health Issues Information: 1-419-248-8234 (8am-5pm ET)

Technical Product Information: 1-800-GET-PINK or 1-800-438-7465

Emergency Phone Number: 1-419-248-5330 (after 5pm ET and weekends)


CHEMTREC: 800-424-9300 (24 hours everyday)

Canotec: (613) 996-6666 (Canada 24 hours everyday)

Website: www.owenscorning.com

MSDS Creation Date: September 25, 2008

MSDS Revision Date: April 27, 2009



HMS

Health Hazard	1
Fire Hazard	1
Reactivity	1
Personal Protection	X

* Chronic Health Effects

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent
Proprietary		90 - 100 by weight
Notes :	The remaining components of this product are non-hazardous or are in a small enough quantity as to not meet regulatory thresholds for disclosure.	

SECTION 3 - HAZARDS IDENTIFICATION

Applies to Product :

Emergency Overview: CAUTION! This material may be irritating to the eyes, respiratory system and gastrointestinal tract.

Route of Exposure: Eye contact
Skin contact
Inhalation.
Ingestion

Potential Health Effects:

Eye: This product may cause irritation to the eyes.

Skin: May cause skin irritation.

Inhalation: Inhalation of vapors or mists of the product may be irritating to the respiratory system.

Ingestion: Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.

Aggravation of Pre-Existing Conditions: Chronic respiratory or skin conditions may temporarily worsen from exposure to this product.

SECTION 4 - FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get medical attention, if irritation or symptoms of overexposure persists.

Skin Contact: Immediately wash skin with soap and plenty of water. Get medical attention if irritation develops or persists.

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give

Ingestion: oxygen by trained personnel. Seek immediate medical attention. If swallowed, do NOT induce vomiting. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Note to Physicians: Provide general supportive measures and treat symptomatically.

SECTION 5 - FIRE FIGHTING MEASURES

Flash Point: > 300 F
Flash Point Method: COC
Auto Ignition Temperature: No Data
Extinguishing Media: water fog foam dry chemical carbon dioxide (CO2)
Unsuitable Media: No Data
Protective Equipment: Wear self-contained breathing apparatus (SCBA) and full fire fighting protective gear.

NFPA Ratings:

NFPA Health: 1
NFPA Flammability: 1
NFPA Reactivity: 1
NFPA Other:

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Avoid contact with skin and eyes. Isolate area and keep unnecessary personnel away.
Environmental Precautions: Avoid runoff into storm sewers, ditches, and waterways.
Methods for containment: Contain spills with an inert absorbent material such as soil, sand or oil dry. Prevent from spreading by covering, diking or other means.
Methods for cleanup: Solidify with inert absorbent material such as sand or oil dry, pick up and put into suitable container for disposal. Pick up and transfer to properly labeled containers.

SECTION 7 - HANDLING and STORAGE

Storage: Store in a well-ventilated area away from sources of ignition.
Work Practices: Avoid contact with skin, eyes and clothing. Avoid inhalation and contact with mist or vapors. Use in well ventilated areas. Wash thoroughly after handling.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls: General dilution ventilation and/or local exhaust ventilation should be provided as necessary to maintain exposures below occupational exposure limits.
Eye/Face Protection: Wear safety glasses with side-shields or goggles. Wear a face shield also when splash hazard exist.
Skin Protection Description: Wear appropriate protective gloves and other protective apparel to prevent skin contact. Consult manufacturer's data for permeability data.
Respiratory Protection: When workers are facing concentrations above the exposure limit they must use appropriate certified respirators in accordance with their company's respiratory protection program, local regulations or 29 CFR 1910.134.

EXPOSURE GUIDELINES

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance: Liquid.
Odor: Slight amine odor.
Boiling Point: No Data
Melting Point: No Data
Specific Gravity: 1.25 (Ref: water = 1)
Solubility: partly soluble.
Vapor Density: No Data
Vapor Pressure: No Data
Evaporation Point: No Data
pH: 8.5
Flash Point: > 300 F
Flash Point Method: COC
Auto Ignition Temperature: No Data

SECTION 10 - STABILITY and REACTIVITY

Chemical Stability: Stable under normal temperatures and pressures.
Hazardous Polymerization: None under normal processing.
Conditions to Avoid: Open sources of ignition

Incompatible Materials: Strong oxidizers, alkalis, acids, water reactive chemicals
Special Decomposition Products: Carbon monoxide, carbon dioxide, nitrogen oxides

SECTION 11 - TOXICOLOGICAL INFORMATION

Carcinogens:

ACGIH NIOSH OSHA IARC NTP MEXICO

SECTION 12 - ECOLOGICAL INFORMATION

Applies to Product :

Ecotoxicity: No data available for this material.
Environmental Fate: No information available for the product.

SECTION 13 - DISPOSAL CONSIDERATIONS

Applies to Product :

Waste Disposal: Can be disposed of as a non-hazardous waste in accordance with Local, State, Federal or Provincial regulations. Prior to disposal solidify any liquid wastes. Using an absorbent material (sawdust, kitty litter, paper towels, rags) soak up the liquid material. Using gloves, sweep or dispose of the absorbed material into a plastic bag, and then dispose of with other household garbage. Use this same procedure with the empty container.

SECTION 14 - TRANSPORT INFORMATION

DOT Shipping Name: Not Regulated.
IATA Shipping Name: Not Regulated.
Canadian Shipping Name: Not Regulated.
IMDG Shipping Name : Not Regulated.
ADR Shipping Name : Not Regulated.
RID Shipping Name : Not Regulated.
ICAO Shipping Name: Not Regulated.
MEX Shipping Name : Not Regulated.

SECTION 15 - REGULATORY INFORMATION

Inventory Status

TSCA Inventory Status

Proprietary All components of this material are listed or are exempted from being listed.

Applies to Product :

Canada WHMIS: Non regulated.
CA PROP 65: The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):
WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA: This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

State Right To Know

SECTION 16 - ADDITIONAL INFORMATION

HMIS Health Hazard: 1
HMIS Fire Hazard: 1
HMIS Reactivity: 1
HMIS Personal Protection: X
MSDS Creation Date: September 25, 2008
MSDS Revision Date: April 27, 2009
MSDS Revision Notes: Updated storage procedures and conditions to avoid
Disclaimer: Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

